

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3400	- Buoy 9					Green can.	
	*						28/00
33880	- Daybeacon 52	40 37 36 N 73 28 48 W				TR on pile	Private aid.
	*						28/00
33885	- Buoy 53					Green can.	Private aid.
	*						28/00
33895	- Buoy 55					Green can.	Private aid.
	*						28/00
33900	- Buoy 56	40 37 36 N 73 28 24 W				Red nun.	Private aid.
	*					*	28/00
33905	- Buoy 57					Green can.	Private aid.
	*						28/00
*33907	- Buoy 58					Red nun.	Private aid.
							28/00
33910	- Buoy 59					Green can.	Private aid.
	*						28/00
33915	- Daybeacon 60	40 37 30 N 73 28 06 W				TR on pile.	Private aid.
	*						28/00
33920	- Buoy 61					Green can.	Private aid.
	*						28/00
33925	- Buoy 62					Red nun.	Private aid.
	*						28/00
33930	- Buoy 63					Green can.	Private aid.
	*						28/00
33935	- Buoy 64					Red nun.	Private aid.
	*						28/00
33940	- Buoy 65					Green can.	Private aid.
	*						28/00
33950	- Buoy 67					Green can.	Private aid.
	*						28/00

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
33955	- Buoy 68					Red nun.	Private aid.
	*						28/00
33960	- Buoy 69					Green can.	Private aid.
	*						28/00
33965	- Buoy 70					Red nun.	Private aid.
	*						28/00
33970	- Buoy 71					Green can.	Private aid.
	*						28/00
33975	- Buoy 72	40 37 42 N 73 26 42 W				Red nun.	Private aid.
	*					*	28/00
33980	- Buoy 74	40 37 48 N 73 26 30 W				Red nun.	Private aid.
	*					*	28/00
33985	- Buoy 75					Green can.	Private aid.
	*					*	28/00
33990	- Buoy 76	40 37 54 N 73 26 24 W				Red nun.	Private aid.
	*					*	28/00
34000	- Buoy 79					Green can.	Private aid.
	*						28/00
34005	- Buoy 80	40 38 06 N 73 26 18 W				Green can.	Private aid.
	*					*	28/00
34010	- Buoy 81					Green can.	Private aid.
	*						28/00
<i>Buoys in channel are maintained from May 1 to Nov. 1 unless otherwise noted.</i>							
34015	- Buoy 82					Red nun.	Private aid.
	*						28/00
34020	- Buoy 83					Green can.	Private aid.
	*						28/00
34025	- Buoy 84					Red nun.	Private aid.
	*						28/00
34030	- Buoy 85					Green can.	Private aid.
	*						28/00

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
34035	- Buoy 86					Red nun.	Private aid.
	*						28/00
34050	- Buoy 89					Green can.	Private aid.
	*						28/00
34055	- Buoy 90					Red nun.	Private aid.
	*						28/00
34060	- Buoy 91					Green can.	Private aid.
	*						28/00
34065	- Buoy 92					Red nun.	Private aid.
	*						28/00
34070	- Buoy 93					Green can.	Private aid.
	*						28/00
34075	- Buoy 94					Red nun.	Private aid.
	*						28/00

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*3663	- Channel Lighted Buoy 4		FI R 4s			Red.	
							28/00
18075	POSSUM POINT PIER LIGHT	38 32 12 N 77 16 36 W	FI Y 4s	11		On pier.	Private aid.
	*						28/00
18080	MOSS POINT - POSSUM POINT LIGHT A	38 31 42 N 77 15 24 W	FI Y 4s	15		On powerline tower on concrete platform.	Private aid.
	*						28/00
18085	MOSS POINT - POSSUM POINT LIGHT B		FI Y 2.5s	15		On powerline tower on concrete platform.	Private aid.
	*						28/00
18100	MOSS POINT - POSSUM POINT LIGHT C		FI Y 2.5s	15		On powerline tower on concrete platform.	Private aid.
	*						28/00
18105	MOSS POINT - POSSUM POINT LIGHT D		FI Y 4s	15		On powerline tower on concrete platform.	Private aid.
	*						28/00

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*16925.5	- Daybeacon 5				SG on pile.		Private aid. 28/00
22810	- NORTH RANGE FRONT LIGHT	27 47 42 N 82 31 24 W	FI G 2.5s	17	KRW on piles.		Visible 1° each side of rangeline. Lighted throughout 24 hours. Obstruction Light Q W visible all around on same structure.
		*	*	*	*		* 28/00
*22810.5	- OBSTRUCTION LIGHT	27 47 42 N 82 31 24 W	Q W	12	5 KRW on piles.		Visible all around on same structure as North Range Front Light. 28/00
22815	- NORTH RANGE REAR LIGHT 1,551 yards, 359.6° from front light.		Iso G 6s	51	KRW on skeleton tower on piles.		Visible 1° each side of rangeline. Lighted throughout 24 hours. Obstruction Light FI W 4s visible all around on same structure.
				*			* 28/00
*22815.2	- OBSTRUCTION LIGHT	27 47 42 N 82 31 24 W	FI W 4s	40	5 KRW on skeleton tower on piles.		Visible all around on same structure as North Range Rear Light. 28/00
23940	- LOWER RANGE FRONT LIGHT	27 48 30 N 82 34 42 W	FI W 2.5s	17	KRW on skeleton tower on piles.		Visible 1.5° each side of rangeline. Lighted throughout 24 hours.
		*	*	*			* 28/00
24735	- LIGHT 7	27 43 06 N 82 36 36 W	FI G 6s	16	3 SG on pile.		
*	*	*	*	*	*	*	* 28/00
*25470.5	- Channel Daybeacon 5A				SG on pile.		 28/00
*42491	- RANGE FRONT LIGHT	28 12 54 N 80 36 42 W	F W	40	KRW on piles.		Private aid. 28/00
*42492	- RANGE REAR LIGHT 287 yards, 084° from front light.		F W	45	KRW on piles.		Private aid. 28/00

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
22472	STANDLOND CUT ENTRANCE LIGHT 2	30 02 24 N 94 02 12 W	FI R 2.5s	10	TR on pile.		Private aid.
	*					*	28/00

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
27625	- CORPUS CHRISTI HARBOR OUTER RANGE REAR LIGHT 330 yards, 101.2° from front light.		Iso G 6s	42		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
	*						28/00
31345	- LIGHT 121	30 23 18 N 86 55 42 W	FI G 2.5s	17	3	SG-SY on dolphin.	
		*					28/00
32945	- Buoy 3						<i>Remove from list.</i>
							*
							28/00
*32947	- Daybeacon 3					SG-SY on pile.	Ra ref.
							28/00
32950	- Buoy 5						<i>Remove from list.</i>
							*
							28/00
32955	- LIGHT 5	30 10 48 N 89 20 06 W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
	*						28/00
*32959	- Daybeacon 7					SG-SY on pile.	Ra ref.
							28/00
32960	- Buoy 9						<i>Remove from list.</i>
							*
							28/00
	*Delete Headings: *WAVELAND TO CATAHOULA BAY (Chart 11367) *Mississippi Sound *Grand Island Channel						
32965	- Buoy 11						<i>Remove from list.</i>
							*
							28/00
	*Add Headings: *WAVELAND TO CATAHOULA BAY (Chart 11367) *Mississippi Sound Grand Island Channel						
32970	- LIGHT 9	30 10 48 N 89 21 54 W	FI G 4s	17	3	SG-SY on pile.	Ra ref.
	*	*					28/00
*32971	- Daybeacon 11	30 10 48 N 89 22 36 W				SG-SY on pile.	Ra ref.
							28/00
32975	- Buoy 15						<i>Remove from list.</i>
							*
							28/00
*32979	- Daybeacon 13					SG-SY on pile.	Ra ref.
							28/00

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
 Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
32980	- Buoy 17						Remove from list. * 28/00
32985	- Buoy 19						Remove from list. * 28/00
32990	- LIGHT 15		Q G	17	4	SG-SY on pile.	Ra ref. * 28/00
33092	BLIND RIGOLETES JUNCTION LIGHT A		FI (2+1) R 6s	17	4	JR-TY on pile.	Ra ref. * 28/00

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
500	NOAA Environmental Lighted Buoy 46022	40 45 12 N 124 31 06 W	FI (4) Y 20s		6	Yellow disk-shaped buoy.	* 28/00
2890	- BREAKWATER LIGHT EAST	33 45 30 N 118 10 54 W	FI G 4s			On post. 4	Private aid. HORN: 1 blast ev 20s (2s bl). * 28/00
5300.1	- Daybeacon 4						Remove from list. * 28/00
5300.2	- Daybeacon 6						Remove from list. * 28/00
5300.3	- Daybeacon 8						Remove from list. * 28/00
5300.4	- Daybeacon 10						Remove from list. * 28/00
5300.5	- Daybeacon 12						Remove from list. * 28/00
5300.6	- Daybeacon 14						Remove from list. * 28/00
5300.7	- Daybeacon 16						Remove from list. * 28/00
5300.8	- Daybeacon 18						Remove from list. * 28/00

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
5300.9	- Daybeacon 20						<i>Remove from list.</i>
							* 28/00
5301	- Daybeacon 22						<i>Remove from list.</i>
							* 28/00
5301.1	- Daybeacon 24						<i>Remove from list.</i>
							* 28/00
8200	- Lighted Buoy 10	40 45 30 N 124 13 12 W	FI R 4s		4	Red.	
		*					28/00
10525	- Channel Lighted Buoy 68	46 08 42 N 123 17 18 W	FI R 2.5s		5	Red.	
		*					28/00
29100	- CHANNEL RANGE FRONT LIGHT	21 17 18 N 157 50 36 W	F Y	30		KRW on post.	Lighted throughout 24 hours. Private aid.
			*				28/00
LAYSAN ISLAND TO KURE ISLAND (Chart 19022)							
Midway Islands							
Midway Channel							
<i>Aids mark channel edge unless otherwise indicated.</i>							
29945	- Lighted Buoy 1	28 11 42 N 177 21 18 W	FI G 2.5s			Green.	
	*		*			*	28/00
29950	- RANGE FRONT LIGHT	28 13 42 N 177 21 18 W	Q W			KRW on pile structure.	
	*		*				28/00
29955	- RANGE REAR LIGHT 600 yards, 359.5° from front light.		Iso W 6s			KRW on pile structure.	
	*		*				28/00
Agat Small Boat Harbor							
30811.1	- LIGHT 1		FI G 2.5s	12		TG on pile.	Private aid.
	*		*				* 28/00
30811.2	- LIGHT 2		FI R 2.5s	12		SR on pile.	Private aid.
	*		*				* 28/00

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2000

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
HARRISVILLE TO FORTY MILE POINT (Chart 14864)							
11495	Thunder Bay Island Light	45 02 12 N 83 11 42 W	Al GW 20s	63 19	17	Conical tower with dwelling attached.	
			*				28/00

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.